

University of Vermont

**UVM ScholarWorks**

---

Family Medicine Clerkship Student Projects

Family Medicine Community

---

2020

## Increasing Public Perceptions of Stroke

Juan A. Conde

Juan Conde Fabela

*UVM Larner College of Medicine*

Follow this and additional works at: <https://scholarworks.uvm.edu/fmclerk>



Part of the [Medical Education Commons](#), and the [Primary Care Commons](#)

---

### Recommended Citation

Conde, Juan A. and Conde Fabela, Juan, "Increasing Public Perceptions of Stroke" (2020). *Family Medicine Clerkship Student Projects*. 550.

<https://scholarworks.uvm.edu/fmclerk/550>

This Book is brought to you for free and open access by the Family Medicine Community at UVM ScholarWorks. It has been accepted for inclusion in Family Medicine Clerkship Student Projects by an authorized administrator of UVM ScholarWorks. For more information, please contact [scholarworks@uvm.edu](mailto:scholarworks@uvm.edu).

# INCREASING PUBLIC PERCEPTION OF STROKES

---

JUAN CONDE

RUTLAND,VT

FAMILY MED ROTATION 6: DEC 2019 – JAN 2020

COMMUNITY MENTOR: DR. RICHARD BAKER

# IDENTIFICATION OF PUBLIC HEALTH NEEDS

- Assessment from publicly available data:
  - Rutland Regional Medical Center Community Health Needs Assessment 2015 – 2017
  - Behavioral Risk Factor Surveillance System (VT Dept of Health & CDC)
  - Individual County DATA BRFSS DATA (VT Dept of Health)
  - 2019 County Health Rankings (Robert Wood Johnson Foundation UW Pop Institute)
  - US County Profile (Institute for Health Metrics & Evaluation)
  - VT Department of Health
    - Index of VT Deaths 2017
    - Vital Statistics Bulletin 2017
- Informal conversation with epidemiologists at UVM
- Formal Interview of Rutland community health care personnel
- Identification:
  - Stroke as leading cause of morbidity and mortality in Rutland VT
  - Necessity to inform public of etiology of stroke, risks, and appropriate treatments.
  - Please see **attached report** for analysis of available data.
- Literature Review on the public awareness of stroke signs/symptoms and treatment.
  - AHA Stroke epidemiological data and surveys
  - AHA guidance
  - Epidemiological studies on stroke awareness by patients.

# STROKE – A COSTLY PREVENTABLE HEALTH BURDEN

- Stroke statistics: 80% of strokes are preventable
  - One stroke every 40 sec in the US → Total of ~ 795,000
    - Of this ~600K are first occurrence the rest are recurrent
  - Stroke deaths: 140K/year → 1/20 deaths in the US
  - Morbidity:
    - 10% victims fully recover
    - 25% have minor impairments
    - 50% have major impairments
    - 10% require long term health care facilities
- Costs: Acute event + lifetime cost due to disability and loss of QOL
  - Average of \$103,576 per 1<sup>st</sup> time stroke → 61 billion/year

## COMMUNITY PERSPECTIVE ON ISSUE

- Public Health Personnel from one of Rutland's clinics were assessed on their views of stroke and patients' perspectives:
  - Personnel unaware of high rates of strokes in Rutland VT in comparison to VT overall.
  - Attributed the increased risks due to
    1. Differences in socioeconomic profile
    2. Chronic Conditions: DM, HTN, HLD, Obesity
    3. Lifestyle: lack of exercise, unhealthy diet
    4. Lack of knowledge of stroke or other health needs
    5. Inability to treat for hemorrhagic stroke locally
    6. No full-time neurologist 24/7 in the area

### Anecdotal examples:

Patient A: Symptoms of dizziness (Central) and weakness, when told to go to the ED for evaluation patient became upset: She did not want to spend several hours getting tests in the ED. Patient minimized her symptoms and said she really needed to get back home because she wanted to bake cookies.

Patient B: Female patient with angina equivalents did not feel the need to be evaluated however some typical symptoms (CP) presented which her daughter in law recognized as an MI. Patient allowed herself to be driven to the ED.

## INTERVENTION/METHODOLOGY

- Publicly available Epidemiological Data was utilized for evaluation of Causes of Morbidity/Mortality in Rutland VT
- Interviews with Health Care Personnel and Restaurant Personnel to assess the public perception/characterization of the average Rutland patient
- Based on AHA recommendations: provide public information for patients so that they can identify stroke signs/symptoms as well as risk factors
  - Provide pamphlet to patients at risk of stroke during regular visits

# PAMPHLET

**WHAT IS A STROKE?**  
When your brain's blood supply is lost and part of your brain dies.

**Block** **Bleed**

Ischaemic stroke      Haemorrhagic stroke

**HOW DEADLY IS STROKE?**

**RISK OF DEATH**

<b>28%</b> 28 days after a stroke	<b>41%</b> In One Year	<b>60%</b> In Five Years
--------------------------------------	---------------------------	-----------------------------

**MORE WOMAN DIE OF STROKE THAN OF BREAST CANCER**  
**MORE MEN DIE OF STROKE THAN OF PROSTATE CANCER**

**800,000** people affected by stroke each year

Stroke is the leading cause of disability among American adults

**4 minutes** every 40 seconds someone dies from a stroke

**WHEN IT COMES TO STROKE, BE FAST CALL 911**  
Any one of these sudden **SIGNS** could mean a **STROKE**

- Balance**  
Watch for sudden loss of balance
- Eyes**  
Check for vision loss
- Face**  
Look for an uneven smile
- Arm**  
Check if one arm is weak
- Speech**  
Listen for slurred speech
- Time**  
Call **911** right away

**WHAT HAPPENS IN THE ED?**  
Imaging of your brain: CT/MRI  
Neurological Exam  
Treatment: tPA or Surgery

**REASONS NOT TO DELAY CARE**

**Baking Cookies**

- Martha the cookies can wait

**I Don't Like Waiting in the ED**

- Let the ED know you are worried about a stroke: they will evaluate you promptly

**I am Healthy - This is not Serious**

- Brain death = 4 hrs - It will not recover!!
- Let the professionals make the decision

**My house is on Fire**

- Your house is important but you are more so

**REASONS TO DELAY CARE**

- You are a Robot
- You are Wolverine
- You are Superman?  
Sorry Clark Kent you still need to see the doctor

2

3

4

**WHO IS AT RISK?**  
You are at risk if you have any of the following:

- High Blood Pressure
- Diabetes
- High Cholesterol
- Heart Disease
  - Plaques
  - Atrial Fibrillation
- Sickle Cell
- Smoker

**WHAT CAN YOU DO?**

**LITERATURE CITED:**

- Saebo. <https://www.saebo.com/stroke-statistics>
- Genentech. <https://www.genentechmaterials.com/strokeawareness/item-spotlight.sgi?id=714>
- CDC. "Know the Facts about Stroke". May 2019.

5

6

1

# EVALUATION

- Method:
  - Utilize a screening questionnaire for patients with one of the risks of stroke (DM, HTN, Obesity, HLD, Smoking, CAD, Sickle Cell, AFib, Previous TIA/Stroke)
    1. Are you aware of health conditions that increase your risk of stroke?
    2. What are the warning signs of stroke?
    3. What should you do if you have a warning sign of stroke?
  - Failure of the patient to correctly answer all 3 questions should prompt the PCP to give patient a pamphlet and direct them to be aware of stroke risks as well as the need for prompt evaluation (less than 4 hrs)



# RECOMMENDATIONS FOR FUTURE PROJECTS

- Gather data on people at risk of stroke before and after pamphlet information
- Assess whether intervention is successful in changing health behaviors
  - Faster evaluation for stroke symptoms
  - Lifestyle modifications:
    - Diet
    - Exercise
    - Smoking cessation

## REFERENCES

1. "Air Quality Index Report for Rutland." *AirData*. U.S. Environmental Protection Agency, 8 Oct. 2014. Accessed January 28, 2015.
2. "Leading Causes of Death in Vermont in 2011." *Vermont State Fact Sheet*. American Heart and Stroke Association, 2013. Accessed January 21, 2015.
3. Shi, Leiyu, and Gregory D. Stevens. "Vulnerability and Unmet Health Care Needs: The Influence of Multiple Risk Factors." *Journal of General Internal Medicine*. Blackwell Science Inc, Feb. 2005. Accessed October 14, 2015.
4. "Rutland Health District BRFSS Data 2012." *Public Health Statistics*. Vermont Department of Health, May 2014. Accessed October 22, 2015.
5. "Rutland County Snapshot." *County Health Rankings*. Robert Wood Johnson Foundation Program, Mar. 2015. Accessed April 15, 2015.
6. Centers for Disease Control and Prevention, National Center for Health Statistics. Underlying Cause of Death 1999–2017 on CDC WONDER Online Database website. <http://wonder.cdc.gov/ucd-icd10.html>. Accessed January 7, 2019.
7. Lackland DT, Roccella EJ, Deutsch AF, et al. ; American Heart Association Stroke Council; Council on Cardiovascular and Stroke Nursing; Council on Quality of Care and Outcomes Research; Council on Functional Genomics and Translational Biology. Factors influencing the decline in stroke mortality: a statement from the American Heart Association/American Stroke Association. *Stroke* 2014;45:315–53.
8. Benjamin EJ, Muntner P, Alonso A, et al. Heart disease and stroke statistics—2019 update: a report from the American Heart Association. *Circulation*. 2019;139:e1–e473. doi: 10.1161/CIR.0000000000000659.
9. Jorgensen HS, Nakayama H, Reith J, Raaschou HO, Olsen TS. Factors delaying hospital admission in acute stroke: the Copenhagen Stroke Study. *Neurology*.1996; 47:383-387.CrossrefMedlineGoogle Scholar
10. Alberts MJ, Bertels C, Dawson DV. An analysis of time of presentation after stroke. *JAMA*.1990; 263:65-68.CrossrefMedlineGoogle Scholar
11. Alberts MJ, Perry A, Dawson DV, Bertels C. Effects of public and professional education on reducing the delay in presentation and referral of stroke patients. *Stroke*.1992; 23:352-356.CrossrefMedlineGoogle Scholar
12. Feldmann E, Gordon N, Brooks JM, Brass LM, Fayad PB, Sawaya KL, Nazareno F, Levine SR. Factors associated with early presentation of acute stroke. *Stroke*.1993; 24:1805-1810.CrossrefMedlineGoogle Scholar
13. Foulkes MA, Wolf PA, Price TR, Mohr JP, Hier DB. The Stroke Data Bank: design, methods, and baseline characteristics. *Stroke*.1988; 19:547-554.CrossrefMedlineGoogle Scholar
14. Kay R, Woo J, Poon S. Hospital arrival time after onset of stroke. *J Neurol Neurosurg Psychiatry*.1992; 55:973-974.CrossrefMedlineGoogle Scholar
15. Zweifler RM, Taft B, Lyden PD, Rothrock JF. Relationship between time to medical evaluation and ischemic stroke severity: the UCSD Stroke Data Bank. *J Stroke Cerebrovasc Dis*.1995; 5:111. Abstract.Google Scholar
16. Eriksson S, Asplund K, Hagg E, Lithner F, Strand T, Wester PO. Clinical profiles of cerebrovascular disorders in a population-based patient sample. *J Chron Dis*.1987; 40:1025-1032.CrossrefMedlineGoogle Scholar
17. Harper GD, Haigh RA, Potter JF, Castleden CM. Factors delaying hospital admission after stroke in Leicestershire. *Stroke*.1992; 23:835-838.CrossrefMedlineGoogle Scholar
18. Anderson NE, Broad JB, Bonita R. Delays in hospital admission and investigation in acute stroke. *BMJ*.1995; 311:162.CrossrefMedlineGoogle Scholar
19. National Stroke Association. Stroke remains a deadly mystery to many Americans. *Be Stroke Smart*. 1996;13:2.[Google Scholar](#)
20. Public Perception of Stroke Warning Signs and Knowledge of Potential Risk Factors. Pancioli AMI, Broderick J, Kothari R, Brott T, Tuchfarber A, Miller R, Khoury J, Jauch E. *JAMA*. 1998 Apr 22-29;279(16):1288-92.
21. Lifetime Cost of Stroke in the United States. Thomas N. Taylor, Patricia H. Davis, James C. Torner, Julia Holmes, Jay W. Meyer, and Mark F. Jacobson. Originally published 1 Sep 1996<https://doi.org/10.1161/01.STR.27.9.1459>Stroke. 1996;27:1459–1466
22. Projected costs of ischemic stroke in the United States. Brown DLI, Boden-Albala B, Langa KM, Lisabeth LD, Fair M, Smith MA, Sacco RL, Morgenstern LB. *Neurology*. 2006 Oct 24;67(8):1390-5. Epub 2006 Aug 16.